

# USB 3.1 Type-C to Gigabit Ethernet Adapter

## User Manual

### Contents

1.0 Introduction .....	1
2.0 Features .....	1
3.0 Specifications .....	1
4.0 Package Contents .....	2
5.0 Product Show .....	2
6.0 Operation .....	2
7.0 Connection Diagram .....	3

# USB 3.1 Type-C to Gigabit Ethernet Adapter

## DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

## 1.0 Introduction

The USB 3.1 Type-C to Ethernet Adapter is a high performance and low expenditure solution. It enables a Fast Ethernet network connection capability for desktops, notebook PC.

## 2.0 Features

- Standard USB 3.1 Type-C interface
- Supports plug-and-play, no driver software is required
- Supports 10/100 /1000Mbps auto-detection
- Supports Wake-on-LAN and 'RealWoW!' (Wake-on-LAN)Technology
- Supports twisted pair crossover detection and auto-correction(HP Auto-MDIX)

## 3.0 SPECIFICATIONS

<b>Connector</b>	
USB 3.1	USB3.1 Type-C Male ×1
Ethernet Port	RJ45 ×1
<b>Warranty</b>	
Limited Warranty	1 Year
<b>Environmental</b>	
Operating Temperature	0 °C to +70°C
Operating Humidity	10% to 85 % RH (no condensation)
Storage Temperature	-10°C to +80°C
Storage Humidity	5% to 90 % RH (no condensation)

<b>Power Requirement</b>	
External Power Supply	NO
Power consumption (Max)	1W
<b>Accessories Adapter</b>	
User Manual	English Version

**Note: Specifications are subject to change without notice.**

## 4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit ×1
- User's Manual×1

## 5.0 PRODUCT SHOW



## 6.0 OPERATION

- ① Connect Computer to USB3.1 Type-C port of this product.
- ② Connect RJ45 of this product to Ethernet Router using Ethernet cable.
- ③ Automatically or manually set IP address of computer.

## 7.0 CONNECTION DIAGRAM



PN5090